[Total No. of Questions - 18] [Total No. of Printed Pages - 2] (2123)

1556

B. Pharmacy 1st Semester Examination Introductory Pharmaceutics (N.S.)

BP-114

Time: 3 Hours Max. Marks: 70

The candidates shall limit their answers precisely within the answerbook (40 pages) issued to them and no supplementary/continuation sheet will be issued.

SECTION - A

Attempt any TWO Questions

- What are different types of pharmaceutical incompatibilities?
 Discuss various methods to overcome them by giving suitable examples.
- 2. Discuss various methods of dose calculations for infants, children and geriatric patients.
- 3. Discuss the role of pharmacist in patient counselling, community health care and education. (10×2)

SECTION - B

Attempt any EIGHT Questions:

- 4. What do you mean by "checking the written prescription" and "compounding the prescription"?
- 5. Discuss the applications of various dosage forms available.
- 6. Differentiate between decoction, tincture and extracts.
- 7. Write the uses of gargles and draught.

1556/1200 [P.T.O.]

2 1556

- 8. What concentration of cocaine hydrochloride will yield a solution iso-osmotic with the blood plasma? (The freezing point of a 1% w/v solution of cocaine hydrochloride is 0.09 degree Celsius)
- 9. What do you understand by displacement value? Explain giving example.
- 10. Discuss the scope of pharmacy profession in India and the world.
- 11. Discuss and compare pastes, jellies and suppositories.
- 12. What do you understand by "Compound powder of Tragacanth" and "Mucilage of Tragacanth"?
- 13. Discuss the method of preparation of dry, soft and liquid extracts. (5×8=40)

SECTION - C

All Questions are Compulsory:

14. Translate:-

Fiat pulvis. Mitte tales Decern

Signentur: Capitat unum dolore urgents

- 15. How can you solve the incompatibility of soluble barbiturates with ammonium bromide?
- 16. How many grams of a drug are required to make 150 mL of 30% solution?
- 17. Write uses of iozenges.
- 18. Give one example of pharmaceutical incompatibility of metals and their salt. (2×5=10)